

edu.mit.csail.aeolus.auditing Class EventID

java.lang.Object

└─ edu.mit.csail.aeolus.auditing.EventID

All Implemented Interfaces:

AeolusSafe, java.io.Serializable, java.lang.Cloneable

```
public final class EventID extends java.lang.Object implements java.io.Serializable, AeolusSafe, java.lang.Cloneable
```

User/system event ID associated with a log record

See Also:

Serialized Form

Field Summary

static EventID	systemEvent Deprecated.
----------------	--

Method Summary

EventID	clone() Returns a new EventID which will be equal to this.
boolean	equals() (java.lang.Object e)
int	hashCode()
java.lang.String	toString()

Methods inherited from class java.lang.Object

finalize, getClass, notify, notifyAll, wait, wait, wait

Field Detail

systemEvent

@Deprecated public static final EventID **systemEvent**

Deprecated.

Method Detail

clone

public EventID **clone**()

Returns a new EventID which will be equal to this.

Overrides:

clone in class java.lang.Object

equals

public boolean **equals**(java.lang.Object e)

Overrides:

equals in class java.lang.Object

hashCode

public int **hashCode**()

Overrides:

hashCode in class java.lang.Object

toString

public java.lang.String **toString**()

Overrides:

toString in class java.lang.Object

Overview **Package** **Class Tree** **Index** **Help**

[PREV CLASS](#) [NEXT CLASS](#)

[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#)

[FRAMES](#) [NO FRAMES](#) [All Classes](#)

[DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

